

INDEX

- Abdomen, acute conditions of, 277 ff.
 suitable time for operation in, 288
 x-ray therapy in questionable cases, 278
- Abscess
 appendical, 263, 268
 pelvic, 268
 pulmonary, 267, 348
 subphrenic, 264, 270
- Absorption of radiation: 33
 coefficient of, 34
 filter effects on, 35, 39
- Aene: x-ray therapy, 319
- Adenitis
 cervical, x-ray therapy, 327
 inguinal, with boil, failure of x-ray and prontosil for (case), 384
- Amputation
 for arteriosclerotic gangrene, 167
 averted, 157, 158, 161, 173, 175
 deferred, 103, 171, 404, 409
 mortality, 165, 166
 for diabetic gangrene, 167
 early, 168
 and mortality, 149
 multiple, 152
 in primary gangrene, 119, 213, 229, 231
 therapeutic, with x-ray therapy, 164, 210, 213
 indications for, 179
 mortality from, 165
 traumatic, with gas bacillus infection, 204
 case, 228
 mortality, 165, 166
- Angina, Ludwig's: 314, 317
- Ankle: gas bacillus infection in (case), 161
- Antibody formation: by x-rays, 68, 70
- Appendicitis-peritonitis: 243, 245 ff.
- appendectomy
 deferred, 260, 268
 most suitable time for, 288
 cases, 252, 254, 255, 257, 259, 260, 263, 264, 267, 268, 270, 271, 273, 286, 382, 384
 complicated by pneumonia, 259, 267, 268
 failure of x-ray and prontosil for (case), 382, 384
- Arm: gas bacillus infection in with compound fracture (cases), 161, 168, 394
 with wound of (cases), 168, 171, 172, 395
- Arteriosclerosis: gangrene of, 167, 187
- Arthritis, rheumatoid: x-ray therapy, 324
- Back-scatter: 46, 48
- Bacteremia: x-ray therapy in, 90
- Bacteria: causing infections, 75
- Bandages: effects on x-ray therapy, 62, 102
- Beer's law: 34
- Bite: human, 312, 317
- Blastomycosis: total dosage for, 56
- Boils: x-ray therapy of, 310, 317
- Bowel: perforation of
- Breast: infection of nipples, 322
- Bunions: x-ray therapy, 323
- Burns: treatment of, 398
- Bursitis: x-ray therapy, 326
- Carbuncles: x-ray therapy of, 310, 317
- Cellulitis: x-ray therapy of, 316
- Conjunctivitis: x-ray therapy, 319
- Corns
 trauma to, and diabetic gangrene (case), 229
 x-ray therapy, 323
- Cross-firing: danger from, 55
- Cyclotron: 23

- Débridement
 definition, 176
 indications for, 179
- Dermatomycosis: x-ray therapy, 321
- Diabetes
 boils in, x-ray therapy, 310
 gangrene with, 167
 gangrene complicating gas bacillus infection, 229
- Diphtheria carriers: x-ray therapy, 328
- Distance: in x-ray therapy, 42, 45, 47
- Dosage factors (x-ray): 26 ff., 42 ff., 57
 designation of, 49
 distance, 42
 estimation of loss, 50
 filter, 35
 importance of, 40
 kilovoltage, 27
 intensity factors, 49, 56
 loss factor, 52
 milliamperage and time, 47
 for pathologic organisms, 75
 port, size of, 42
 r units per dose, 55
 rate of administration, 49
 selection of, 58, 76
 space factor, 51
 total, 55
- Draper's law: 33
- Endometritis: roentgen therapy in, 295
- Energy (x-ray)
 surface, 42, 44
 volume, 42, 44
- Epidermophytosis: x-ray therapy (case), 322
- Erysipelas: 303, 415
 complications, 305
 etiology, 304
 mortality, 305
 prognosis, 305
 relapses, 305
 serum treatment of, 305
 ultraviolet therapy, 306
 x-ray therapy, 306
- Erythema dose: 49
- Eye: superficial infections in, 318
- Face
 gunshot wound without infection (case), 206
 infections of upper half, 311, 317
- Fibrositis: x-ray therapy, 326
- Filter: 26, 35 ff.
 additional, 38
 aluminum, 37
 copper, 37
 definition of, 35
 for infections, 41
 influence on absorption, 36
 omission of, 41
 range for therapy, 41
 variations in, 41
- First aid:
 management of wounds, 177
- Fluoroscope: use for emergency therapy, 61
- Foot: diabetic gangrene in (case), 231
- Fracture: gas bacillus infection in (cases), 161, 168, 174, 204, 210, 221, 226, 394, 397, 412, 413
 without infection (cases), 201, 203, 206
- Fungous infections: x-ray therapy, 322, 323
- Furuncles
 sulfanilamide for, 384
 x-ray therapy, 310, 317
- Gallbladder: gangrenous ruptured, 257
- Gangrene, primary (see also Gas bacillus infection)
 arteriosclerotic, 110
 diabetic, 110, 404, 406, 408, 415
 decubital, 110
 post-traumatic, 111
- Gas bacillus infection
 complicating disease or injury, 117
 definition of, 115

- description of, 109
 with compound fractures, 157,
 161, 168, 171, 174, 190, 201,
 203, 206, 210, 221, 227, 228
 diagnosis of, 130 ff.
 criteria for, 134
 early, importance of, 130
 x-ray aids to, 133
 etiology of, 115
 in gunshot wound, 158, 205
 history of, 112 ff.
 incubation period, 199
 in lacerated wounds, 158, 173,
 194
 morbidity, factors increasing,
 149
 mortality of, 136, 140 ff.
 in A.E.F., 140
 in Civil War, 155 ff.
 comparative effect of x-rays
 and other measures, 406,
 410
 following hypodermic injec-
 tion, 148, 180
 from improper x-ray technic,
 150
 influence of serum on, 152
 influence of surgery on, 149,
 165
 influence of type of case on,
 147
 in literature, 142, 145
 prior to x-ray therapy, 140,
 155
 in nail puncture wound (cases),
 158, 316
 nomenclature, 112
 organisms causing, 116
 pathology of, 116 ff.
 post-traumatic
 diagnostic criteria and mor-
 tality rates for, 136
 signs and symptoms of, 131
 stages of, 131
 sulfanilamide for, 387, 391,
 394, 397, 408, 412
 treatment of
 amputation with x-ray ther-
 apy, 164 ff.
 débridement for, 176 ff.
 early x-ray therapy for, 156
 first cases of x-ray therapy,
 157
 prior to x-ray therapy, 155
 repeated x-ray treatments,
 224
 serum with x-ray therapy,
 185 ff.
 surgical, 163 ff.
 x-ray multiple doses and mor-
 bidity, 226
 x-ray technic for, 218, 232 ff.
 x-ray prophylaxis of, 196 ff.
- Glands**
 enlarged, x-ray therapy, 327
 tuberculous, x-ray therapy, 323
Granulomas: x-ray therapy, 323
Grotthus' law: 33, 39, 44
Gunshot wound: 158, 290, 395
 of arm, x-ray and sulfanilamide
 for (case), 395
 of bowel, 291
 of face (case), 205
 of hand, x-ray and sulfanila-
 midate for (case), 387
 of leg (case), 158
 prophylaxis of, 205
Half-value layer: 33, 34
Hand: compound fracture with-
 out infection (case), 206
 gas bacillus infection with frac-
 ture and laceration (cases),
 210, 387
Heart disease, rheumatic: x-ray
 therapy, 331
Hemorrhage: x-ray therapy and,
 104
Hernia: postoperative x-ray for,
 290
Hypodermic injection
 gas bacillus infection from, 118,
 148, 180
Hypoproteinemia: and nonunion
 of abdominal incisions, 274
- Immunity**
 sulfanilamide effect on, 400,
 402

- x-ray effect on, 70, 400, 402, 417
- Impetigo: x-ray therapy, 319
- Incisions: nonunion of, 256, 274
- Industry: mobile x-ray unit for, 100
- Infections (see also Gas bacillus infection)
- abortion of, 86, 199, 205
 - in athletes, 312, 317
 - of face, 311, 317
 - local, indications for x-ray therapy, 89
 - ocular, 318
 - reactivation of, 218, 270
 - roentgen effects on signs of, 82
 - roentgen localization of, 85
 - roentgen therapy of, status of, 76
 - secondary, roentgen prevention of, 86
 - superficial, 303 ff.
 - x-ray technic for, 317
 - varieties of, 73, 75
- Intensity factors: maximum and minimum, 56 f.
- Inverse square law: 43, 45
- Ionizing chamber, 48, 81
- Jaw: fracture of
- failure of x-ray and neoprontosil for (case), 391
 - with gas bacillus infection (case), 190
 - x-ray therapy, 314, 317
- Kilovoltage: 27 ff.
- clinical application, 34
 - definition, 27
 - effect on absorption, 35
 - quality, 32
 - relation to penetration, 28
 - relation to wavelength, 27, 29, 30
 - selection for therapy, 29, 31, 34
- Kingery's hypothesis: 53, 54
- Knee: gas bacillus infection in case, 157
- in laceration of (case), 194
- Lambert's law: 34
- Laws:
- all or none, 120
 - Beer's, 34
 - Draper's, 33
 - Grotthus', 33, 44
 - inverse square, 43, 45
 - Lambert's, 34
 - time, 122
- Leg:
- bullet wound of (case), 158
 - compound fracture without infection (case), 201, 203
 - gas bacillus infection in case, 213
 - in fracture of (cases), 174, 204, 221, 226, 397
 - in laceration of (case), 173
 - therapeutic amputation, x-ray and sulfanilamide for (case), 387
- Light (see also Spectrum)
- Grotthus' law, 33
 - visible, 20
- Loss factor: 52 ff.
- calculation of, 54 f.
 - definition of, 54
- Lungs (see also Pneumonia)
- abscess, chronic, 348
 - atelectasis, 346
 - collapse, massive, 346, 348
 - embolism in, 346
 - fluid or pus in pleural space, 347
 - foreign body in, 346
 - infarct, 346
 - neoplasm in, 346, 348
 - obstructed bronchus, 346
 - tuberculosis of, 347
- Lymphocytes: roentgen effect on, 69
- Lymphogranuloma venereum: x-ray therapy, 324
- Lymphoid cells: x-ray effect, 69
- Mastoiditis: 341 ff.
- acute, 342
 - osteomyelitis of bone with, 343
 - with pneumonia, 343, 345

- postoperative, 342
 reactivation of, 343
 specific, 343
 x-ray technic for, 344
 Meningitis: x-ray therapy, 331
 Military surgery
 sulfanilamide in, 395, 401
 x-ray therapy in, 101 ff., 409, 411
 Milliamperage: 47 f.
 Mobile therapy unit: 93 ff.
 air transportation of, 101
 capacity of, 96
 improvements in, 96
 for home use, 99
 for military use, 101 ff.
 for prophylaxis, 97
 for therapy, 97
 in treating erysipelas, 306
 in treating peritonitis, 279
 Mumps, surgical (see Parotitis, postoperative)
 Mortality
 from amputation, 149, 165
 in appendicitis-peritonitis, 297
 in Civil War, 155
 in erysipelas, 305
 in gas bacillus infection, 140 ff.
 in infections of face, 312
 of infections, reduction by x-rays, 86
 in peritonitis, 275, 276
 and sulfanilamide, 382
 in World War I, from gas gangrene, 155
 Nail wound: gas bacillus infection in (cases), 158, 316
 Nasopharynx: x-ray therapy, 328
 Necrosis: radiation, 42, 61
 Neuritis: x-ray therapy, 326
 Organisms, pathologic
 causing gas bacillus infection, 116
 dosage factors for, 75
 Osteomyelitis
 with mastoiditis, 343
 prevention in recent wounds, 99
 x-ray prophylaxis against, 199, 207
 Ovaries: effect of x-rays on, 90
 Pain: roentgen effect on, 85, 89
 Parotitis
 acute postoperative, 332 ff.
 after appendectomy, 336, 339
 after cholecystectomy, 336
 mortality of, 332
 after pelvic abscess, 338
 with peritonitis, 338
 stages of, 334
 with strangulated hernia, 337
 with uterine prolapse, 339
 x-ray technic for, 335
 epidemic, 341
 suppurative, nonsurgical, 339
 Peritonitis: 239 ff., 278
 with appendicitis, 243, 245 ff.
 stages of, 246, 248 ff.
 bacteriology of, 239
 cases, 278, 280
 comparison with gas bacillus infection, 243
 early experimental work in, 239
 etiology of, 239
 with hysterectomy, 278
 intermediate cases of, 173
 pelvic, 294
 with perforated bowel, 290
 rôle of gas bacilli in, 244
 with ruptured gallbladder, 258
 with salpingectomy, 285
 and salpingitis (case), 283
 sulfanilamide for, 382, 384
 x-ray dosage in, 250
 x-ray prophylaxis against, 290
 Pneumonia (see also Lungs)
 aborted, 36?
 acute, 346 ff.
 correct diagnosis essential, 346
 sulfanilamide for, 349
 x-ray technic for, 346, 349
 with appendicitis - peritonitis, 259, 267, 268
 bronchopneumonia, 368

- complicating appendicitis and
 hernia, 352
 failure of x-ray and prontosil
 for (case), 383
 lobar, 356, 360, 361
 mastoiditis with, 343, 345
 sulfanilamide in, 383
 after tonsillectomy, 348
 unresolved, 350
 Port: 42 ff.
 dangers of overlapping and
 cross-firing, 46
 effect on dosage, 44, 45
 relation to distance, 45, 47
 size of, 42, 46
 Pregnancy: roentgen therapy
 during, 90
 Prophylaxis (x-ray)
 of gas bacillus infection, 196
 serum with, 191
 mobile unit for, 97, 101 ff.
 postoperative, 99
 Pulse: roentgen effect on, 83

 r unit: 48 ff.
 definition, 48
 per dose, 48
 variations in dose, 50
 Rays
 cosmic, 20
 gamma, 20
 grenz, 20
 hard, 27
 infra-red, 20
 in medical science, 19, 23
 resonance of, 33
 soft, 27
 ultraviolet, 20
 Resonance: of rays, 33
 Respiratory rate: roentgen ef-
 fect on, 84
 Roentgen rays (see also Roentgen
 therapy)
 absorption of, 27
 analgesic effects of, 68
 antitoxic action of, 123
 biologic effects, 42
 on living cells, 122
 characteristic, 26
 definition of, 19
 dosage factors, 26 ff., 42 ff.
 selection of, 58, 76
 dose of, 50
 accumulation of, 55
 cross-firing, 55
 deep, 78
 emergency, 60
 saturation, 50
 space factor, 50
 superficial, 78
 total, 55
 variations in, 50
 efficiency in therapy, 88
 energy
 surface, 42, 44
 volume, 42, 44
 filtered, 25
 fluorescence of, 23
 hard, 27, 35
 history of, 19
 oxidizing effect of, 123
 position in spectrum, 21
 primary, 25
 properties of, 23
 quality of, 34
 quantity of, 47
 r unit, 48
 rate of administration, 49
 reactions to, 62
 scattered or secondary, 25
 soft, 27
 stray, 25
 therapeutic action of, 24
 unfiltered, 25
 vibrations, 28
 Roentgen therapy (see also Roent-
 gen rays; Gas bacillus infec-
 tion)
 antibody formation after, 68,
 70
 of abdominal conditions, 277 ff.
 of arthritis, 324
 of bursitis, 326
 changing character of surgical
 risk, 283
 contraindications for, 90, 381 ff.
 of cutaneous diseases, 319 ff.
 dangers of, 286

- "deep," 79
of dermatomycoses, 321
diseases responsive to, 79
dosage factors, 25 ff., 42 ff., 57
 distance, 26, 42, 47
 emergency, 60
 filter, 26, 35
 intensity, 26, 51
 kilovoltage, 26, 35
 loss, 26, 52
 milliamperage and time, 26, 47
 port, 26, 46
 r units, 26, 48, 50
 space, 26, 51
 table of, 60
 total dose, 25, 55
dose variations in, 50
early studies in, 67 ff.
emergency dose, 60, 171
of enlarged glands, 327
of fibrositis, 326
first aid with, 105
of fungous infections, 322, 323
of gas bacillus infection
 technic for prophylaxis, 199, 218
 therapeutic amputation and, 164
of granulomas, 323
indications for, 72, 89
of infections, status of, 76
limits of safe dose, 49
of lymphogranuloma venereum, 324
lymphoid reactions to, 69
of mastoiditis, 344
of meningitis, 331
military use of, 101 ff., 409, 411
of nasopharynx, 328
necrosis from, 42, 61
of neuritis, 326
for pain, 85, 89
of parotitis (postoperative), 335
pathologic groups responding to, 72
of pelvic conditions, 294, 295
of perforated bowel, 290
of peritonitis, 250 ff.
of plantar warts, 323
of pneumonia, 346 ff.
pre- and postoperative, 286, 288
prophylactic, 89, 97, 99, 101 ff., 290, 410
prophylaxis against peritonitis, 290
protection of patient during, 61
for questionable abdominal cases, 278
requisite training for use of, 79
of rheumatic heart disease, 331
serum with, 185 ff.
signs of beneficial effects in infections, 82 ff.
of sinusitis, 330
with sulfanilamide contraindicated, 381 ff.
and sulfonamides, 62, 381 ff.
"superficial," 79
of superficial infections, 317
suppuration from, 51, 91
surgery with, 163 ff.
when to stop, 62
- Salpingitis
 abortion of postoperative infection (case), 285
 and peritonitis (case), 283
 roentgen therapy in, 295
- Serum, anti-gas
 for gas bacillus infection, 152, 185 ff.
 complicating arteriosclerotic gangrene, 152, 187
 complicating diabetic gangrene, 152, 186
 mortality following, 185, 187
 reactions to, 161
 prophylactic, 191
 for peritonitis, 243
- Sinusitis: x-ray therapy, 330
- Skin: reactions to x-rays, 62
- Space factor
 definition, 51

- variations in, 52
 Spectrum, electromagnetic: 19 ff.
 Streptococcus haemolyticus: sec-
 ondary to gas bacillus infec-
 tion, 129, 153
 Suction apparatus: 289
 masking symptoms, 286
 Sulfanilamide
 in clinical work, 408
 in compound fractures, 387
 early experience with x-ray
 therapy and, 382
 in experimental gas gangrene,
 402
 in furuncles, 384
 for gangrenous changes, 382,
 387, 391, 394, 417
 in gas bacillus infection, 387,
 391, 394, 397, 408, 412
 in gunshot wound, 395
 and immunity, 400, 402
 intraperitoneal application, 254
 local application of, 354
 and morbidity of gas bacillus
 infection, 152
 and mortality, 382
 in peritonitis, 382, 384
 in pneumonia, 383
 reason for negating x-ray ther-
 apy, 123
 in war wounds, 391, 395, 401
 with x-rays contraindicated,
 381 ff.
 Sulfathiazole
 and x-ray therapy, 382
 Sulfonamides: with x-rays for
 carbuncle, 311
 Suppuration
 relation to x-ray dosage, 51, 91
 x-ray effect on, 91
 Surgery
 x-ray changing surgical risk,
 283
 x-ray prophylaxis after, 99
 Teeth: extraction of
 postoperative x-ray therapy,
 314
 Temperature: roentgen effect on,
 84
 Tetanus
 antitoxin for, 153
 secondary to gas bacillus in-
 fection, 129
 Time (see Milliamperage)
 Tissues: conservation of, by
 x-ray therapy, 85
 Tonsillectomy; pneumonia after,
 348
 Tonsils: x-ray therapy, 329
 Toxemia
 in erysipelas, 306
 in peritonitis, 128, 239
 roentgen effect on, 84
 in surgical parotitis, 333
 Toxins
 of gas bacillus infection, dis-
 tant changes by, 120, 124
 preformed, 118
 Tuberculosis: glandular, total
 dosage for, 56
 Vibrio septique: experimental
 work with, 121 ff.
 War (see also Military surgery)
 Civil, gangrene in, 113
 Crimean, gangrene in, 112
 Spanish Civil, management of
 wounded, 104
 World War I, gangrene in, 140
 World War II, x-ray therapy
 in, 101 ff., 410
 Warts: x-ray therapy, 323
 Wounds
 aseptic technic for, 180 ff.
 from explosion, gas bacillus in-
 fection in, 158
 gas bacillus infection in, 117
 X-rays (see Roentgen rays)